

## Compact Track Loaders / T550 Compact Track Loader T550 Loader Specifications & Options

■ Standard
  Optional
N/A Not Applicable

Units **METRIC**

Configuration	Bobcat T550	
	Standard	Roller Suspension Option
Emissions Tier (EPA)	Tier 4	Tier 4
Engine Cooling	Liquid	
Engine Fuel	Diesel	
Horsepower	49.2 kW	
Turbocharged Engine	<input checked="" type="checkbox"/>	

### Performance

Rated Operating Capacity (ISO)	905 kg	860 kg
Operating Capacity (50% of Tip)	1293 kg	1228 kg
Tipping Load	2627 kg	2456 kg
Operating Weight	3428 kg	3519 kg
Travel Speed	11.4 km/h	11.4 km/h
Travel Speed (2-speed option)	16.7 km/h	n/a
Ground Pressure (Rubber)	0.34 bar	0.4 bar

### Capacities

Fuel Tank	138.2 l	138.2 l
-----------	---------	---------

## Hydraulic System

System Relief @ Quick Couplers	241.32 bar
Auxiliary Std Flow	64.7 l/min
Auxiliary High Flow	101.1 l/min

## Dimension

Length	3378 mm	
Length without Attachment	2657 mm	
Length with Standard Bucket	3378 mm	
Width	1702 mm	1816 mm
Width (with bucket)	1727 mm	1880 mm
Height	1976 mm	
Height with Operator Cab	1976 mm	
Height to Bucket Hinge Pin	2908 mm	
Reach @ Maximum Height	556 mm	
Turning Radius	2032 mm	2032 mm
Length of track on ground	1374 mm	
Track Width	320 mm	
Track Width - Optional	401 mm	

## Features

Joystick Control	<input checked="" type="checkbox"/>
Air Conditioning	<input checked="" type="checkbox"/>
Backup Alarm	<input type="checkbox"/>
BICS System (Interlock)	<input type="checkbox"/>
Cab Heater	<input checked="" type="checkbox"/>
Operating Lights	<input type="checkbox"/>
Suspension Seat	<input type="checkbox"/>
Two Speed Travel	N/A
Deluxe Instrumentation	<input checked="" type="checkbox"/>
Engine Shutdown	<input type="checkbox"/>
Hydraulic Bucket Positioning	<input checked="" type="checkbox"/>
High Flow Option	<input checked="" type="checkbox"/>
Auxiliary Hydraulics	<input type="checkbox"/>
Bob-Tach Attachment System	<input type="checkbox"/>
Power Bob-Tach	<input checked="" type="checkbox"/>
ACS (Switchable Controls)	<input checked="" type="checkbox"/>
Ride Control	<input checked="" type="checkbox"/>
Horn	<input type="checkbox"/>

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.